

CLAIMS

What is Claimed:

1. A method of communicating on a communication system having a client terminal connecting a server through a network and collaborating with other client terminals connected to said network, said method comprising the steps of:

(a) generating an image file in response to specifying an image area by an operator of said client terminal;

(b) acquiring an image file name from said server;

(c) converting said image file to generate a predetermined formed compressed image data which has a file name relating to said image file name;

(d) sending said predetermined formed compressed image data to said server;

(e) displaying said predetermined formed compressed image data of said server on a Web browser on said client terminal; and

(f) posting the file name of said predetermined formed compressed image data to the client terminals collaborating with said client terminal.

2. A method of communicating on a communication system having a client terminal connecting a server through a network, said method comprising the steps of:

(a) generating an image file in response to specifying image data by an operator of said client terminal;

5 (b) determining a unique image file name on said server;

6 (c) converting said image file to generate a predetermined formed compressed image
7 data which has a file name relating to said unique image file name;

8 (d) sending said predetermined formed compressed image data to said server; and

9 (e) displaying said predetermined formed compressed image data of said server on a
10 Web browser on said client terminal.

1 3. A method of communicating on a communication system having a client terminal
2 connecting a server through a network, said method comprising the steps of:

3 (a) generating an image file in response to specifying image data by an operator of
4 said client terminal;

5 (b) converting said image file to generate a predetermined formed compressed image
6 data;

7 (c) sending said predetermined formed compressed image data to said server;

8 (d) determining a unique image file name on said server and posting it to said client
9 terminal; and

10 (e) displaying said predetermined formed compressed image data of said server on a
11 Web browser on said client terminal.

1 4. A method of communicating on a communication system having a client terminal
2 connecting with a network and a server connecting with said network and storing a file
3 created by an operator of said client terminal which has a name capable of determining that
4 it was created by said operator, said method comprising the steps of:

5 (a) receiving a message sent from said client terminal including information capable
6 of identifying said operator;

7 (b) acquiring the information capable of identifying said operator included in said
8 message;

9 (c) acquiring the file name of the file created by said operator based on said
10 information capable of identifying said operator;

11 (d) generating a file list file by inserting said file name into a skeleton file; and

12 (e) posting the file name of said file list file to said client terminal.

1 5. A client terminal connecting a server through a network and collaborating with other
2 client terminals connected to said network, said client terminal comprising:

3 (a) a screen range selector for specifying a screen range in response to operation for
4 specifying screen range by an operator;

5 (b) an image file generator for acquiring an image according to said screen range and
6 generating an image file;

7 (c) a file name acquisition division for acquiring an original name from said server;

8 (d) an image file converter for converting said image file to generate a predetermined
9 formed compressed image data;

10 (e) a file transmitter for sending to said server said predetermined formed
11 compressed image data which has a file name relating to said original name; and

12 (f) a display division for displaying said predetermined formed compressed image
13 data of said server on a Web browser on said client terminal.

1 6. A server connecting a client terminal through a network and storing a file created by an
2 operator of said client terminal which has a file name capable of determining that it was
3 created by said operator, said server comprising:

4 (a) a message analysis division for receiving a message sent from said client terminal
5 including information capable of identifying said operator and acquiring said information;
6 and

7 (b) a file list generator for acquiring the file name of the file created by said operator based
8 on said information, generating a file list file by inserting said file name into a skeleton file;
9 and posting the file name of said file list file to said client terminal.

1 7. A communication system having a first and a second client terminal connecting with a
2 network and a server connecting said first and a second client terminal through said
3 network, said communication system comprising:

4 the first client terminal comprising:

5 (a1) an image file generator for, in response to operation for specifying a screen range by an

operator, generating an image file according to said operation;

(a2) a file name acquisition division for acquiring an original name from said server;

(a3) an image file converter for converting said image file to generate a predetermined formed compressed image data;

(a4) a file transmitter for sending to said server said predetermined formed compressed image data which has a file name relating to said original name; and

(a5) a display division for displaying said predetermined formed compressed image data of said server on a Web browser on said first client terminal and posting the name of said predetermined formed compressed image data to said second client terminal, and

(b) a server comprising a file name generator for generating an original name capable of uniquely identifying said first client terminal in response to a request from said first client terminal and posting it to said first client terminal; and

(c) the second client terminal for displaying said predetermined formed compressed image data of said server on a Web browser on said second client terminal based on the name of said predetermined formed compressed image data sent from said first client terminal.

8. A storage medium storing a software product for connecting a server through a network and controlling communication performed on a communication system having a client terminal collaborating with other client terminals connected to said network, said software product comprising the program codes for:

(a) directing said client terminal to generate an image file in response to specifying an image area by an operator of said client terminal;

7 (b) directing said client terminal to acquire an image file name from said server;

8 (c) directing said client terminal to convert said image file and generate a predetermined
9 formed compressed image data which has a file name relating to said image file name
10 acquired from said server;

11 (d) directing said client terminal to send said predetermined formed compressed image data
12 to said server;

13 (e) directing said client terminal to display said predetermined formed compressed image
14 data of said server on a Web browser on said client terminal; and

15 (f) directing said client terminal to post the file name of said predetermined formed
16 compressed image data to the client terminals collaborating with said client terminal.

1 9. A storage medium storing a software product for controlling communication performed
2 on a communication system having a client terminal connecting a server through a network,
3 said software product comprising the program codes for:

4 (a) directing said client terminal to generate an image file in response to specifying image
5 data by an operator of said client terminal;

6 (b) directing said client terminal to determine a unique image file name on said server;

7 (c) directing said client terminal to convert said image file and generate a predetermined
8 formed compressed image data which has a file name relating to said image file name
9 acquired from said server;

10 (d) directing said client terminal to send said predetermined formed compressed image data

11 *Sub* to said server; and

12 (e) directing said client terminal to display said predetermined formed compressed image
13 data of said server on a Web browser on said client terminal.

Sub
Alc
2 10. A storage medium storing a software product for controlling communication
3 performed on a communication system having a client terminal connecting a server through
a network, said software product comprising the program codes for:

4 (a) directing said client terminal to generate an image file in response to specifying image
5 data by an operator of said client terminal;

6 (b) directing said client terminal to convert said image file and generate a predetermined
7 formed compressed image data;

8 (c) directing said client terminal to send said predetermined formed compressed image data
9 to said server;

10 (d) directing said client terminal to determine a unique image file name on said server and
11 post it to said client terminal; @and

12 (e) directing said client terminal to display said predetermined formed compressed image
13 data of said server on a Web browser on said client terminal.

Sub
Alc
1 11. A storage medium storing a software product for controlling communication
2 performed on a communication system having a client terminal connecting with a network
3 and a server connecting with said network and storing a file created by an operator of said
4 client terminal which has a file name capable of determining that it was created by said

5 operator, said software product comprising the program codes for:

6 (a) directing said server to receive a message sent from said client terminal including
7 information capable of identifying said operator;

8 (b) directing said server to acquire the information capable of identifying said operator
9 included in said message;

10 (c) directing said server to acquire the file name of the file created by said operator based on
11 said information capable of identifying said operator;

12 (d) directing said server to generate a file list file by inserting said file name into a skeleton
13 file; and

14 (e) directing said server to post the file name of said file list file to said client terminal.
15

ADD C2 >